

Cambridge IGCSE™

BIOLOGY**0610/62**

Paper 6 Alternative to Practical

May/June 2026

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme contains the instructions and marking guidance that our examiners used to mark candidate responses for this component.

Before they start marking, examiners complete a standardisation process. They review a range of candidate responses and discuss the mark scheme in detail to agree which answers can and cannot be accepted. Examiners award marks where it is clear that candidate responses have met the requirements of the mark scheme. These requirements may vary between different components or different versions of the same component, depending on the exact requirements of the question and the candidate responses seen during the standardisation process.

Sometimes, our mark schemes may allow marks to be awarded to responses which contain elements that are factually incorrect or for content not covered by the syllabus. We do this in response to the demands of a specific question to support candidates and make sure that our assessments are fair. However, these allowances should not be used as a guide for teaching and learning.

We cannot discuss the mark scheme with schools, and we recommend that schools read the mark scheme together with the assessment material and the Principal Examiner Report for Teachers.

This document consists of **12** printed pages.

General marking principles

All examiners must apply these marking principles when marking candidate responses.

1	Examiners must award marks for each response in line with: - the specific content defined in the mark scheme - the specific skills defined in the mark scheme or in the level descriptions - the standard of response required as exemplified by the standardisation scripts.
2	Examiners must award whole marks (not half marks, or other fractions).
3	Examiners must award marks positively . This means that: - marks are not deducted for errors or omissions - marks are awarded for correct/valid answers as defined in the mark scheme and also for other valid answers which go beyond the scope of the syllabus and mark scheme referring to your team leader as appropriate - the quality of spelling, punctuation and grammar are judged only when the mark scheme indicates that these features are specifically assessed in the question. However, the meaning of all responses must be unambiguous.
4	Examiners must consistently apply the requirements of the mark scheme and any rules for what to do when candidates have not followed instructions correctly.
5	Examiners must use the full range of marks defined in the mark scheme, unless limited by the quality of the candidate responses seen.
6	Examiners must award marks according to the mark scheme and must not award marks with grade thresholds or grade descriptions in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<u>'List rule' guidance</u> For questions that require <i>n</i> responses (e.g. State two reasons ...): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>. • Incorrect responses should not be awarded credit but will still count towards <i>n</i>. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	correct point or mark awarded
	incorrect point or mark not awarded
	information missing or insufficient for credit
	allow or accept
	incorrect or insufficient point ignored while marking the rest of the response
	contradiction in response, mark not awarded
	benefit of the doubt given
	error carried forward applied
	point has been noted, but no credit has been given or blank page seen

Annotation	Meaning
	correct awarding one mark from marking point or marking group 1. similar numbered ticks are used for marking point or marking groups 2, 3, 4 etc.
	pages are linked together
	used to highlight parts of an extended response
	used to highlight parts of an extended response
	Point already given
	Maximum mark reached
	Key point attempted / working towards marking point / incomplete answer / response seen but not credited / blank page seen
	Maximum number of marks for a marking point has been awarded.

Mark Scheme Abbreviations:	
;	separates marking points
/	alternative responses for the same marking point
R	reject the response
A	accept the response
I	ignore the response
ecf	error carried forward
AVP	any valid point
ora	or reverse argument
AW	alternative wording
<u>underline</u>	actual word given must be used by candidate (grammatical variants excepted)
()	the word / phrase in brackets is not required but sets the context
max	indicates the maximum number of marks that can be given
MP	marking point

Question	Answer	Marks	Guidance																
1(a)(i)	0.2 ;	1																	
1(a)(ii)	table drawn with minimum of two columns and a header line ; suitable headings with units for: (final) percentage / % , concentration (of vitamin C) and <u>volume</u> (of iodine solution) , remaining OR used / cm ³ ; three correct percentage concentrations and three correct volumes recorded that match the header ;	3	R units / headings, in data cells ecf from 1(a)(i) e.g. <table><tr><th>(final) percentage / % , concentration</th><th>volume remaining / cm³</th></tr><tr><td>(V1) 0.6</td><td>1.4</td></tr><tr><td>(V2) 0.4</td><td>3(.0)</td></tr><tr><td>(V3) 0.2</td><td>4.6</td></tr></table> OR <table><tr><th>(final) percentage / % , concentration</th><th>volume used / cm³</th></tr><tr><td>(V1) 0.6</td><td>3.6</td></tr><tr><td>(V2) 0.4</td><td>2(.0)</td></tr><tr><td>(V3) 0.2</td><td>0.4</td></tr></table>	(final) percentage / % , concentration	volume remaining / cm ³	(V1) 0.6	1.4	(V2) 0.4	3(.0)	(V3) 0.2	4.6	(final) percentage / % , concentration	volume used / cm ³	(V1) 0.6	3.6	(V2) 0.4	2(.0)	(V3) 0.2	0.4
(final) percentage / % , concentration	volume remaining / cm ³																		
(V1) 0.6	1.4																		
(V2) 0.4	3(.0)																		
(V3) 0.2	4.6																		
(final) percentage / % , concentration	volume used / cm ³																		
(V1) 0.6	3.6																		
(V2) 0.4	2(.0)																		
(V3) 0.2	0.4																		
1(a)(iii)	V1 3.6 (cm ³) and V2 2(.0) (cm ³) and V3 0.4 (cm ³) ;	1	all three correct for the mark ecf from 1(a)(i) and 1(a)(ii)																

Question	Answer	Marks	Guidance
1(a)(iv)	<u>volume</u> of iodine (solution), remaining / added / used (in the syringe) ;	1	
1(a)(v)	starch is present / iodine (solution) turns blue-black with starch / starch gives positive result with iodine (solution) / AW ;	1	A the starch reacts with the iodine (solution) A the vitamin C (solution) contains starch
1(a)(vi)	greater volume required / AW ;	1	
1(a)(vii)	drops vary in, volume / size / cm ³ or miscounting / AW ;	1	
1(b)(i)	2.8 (cm ³) ;	1	
1(b)(ii)	any value greater than 0.4 (%) and less than 0.6 (%) ;	1	ecf from 1(a)(iii)
1(b)(iii)	at least one more concentration between 0.4% and 0.6% / use smaller intervals of concentration / AW ;	1	
1(b)(iv)	(use) Benedict's test / solution ; heat ;	2	
1(b)(v)	DCPIP ;	1	

Question	Answer	Marks	Guidance
1(c)(i)	axes labelled with units ; suitable linear scale and data occupies at least half the grid in both directions ; five points plotted accurately $\pm$ half a small square ; suitable line drawn ;	4	x-axis (drying) time / <u>hours</u> y-axis (vitamin C) concentration / mg per 100 g (kiwi fruit) R if plot points that are larger than one small square if dot-to-dot, <u>all</u> points joined ($\pm$ $\frac{1}{2}$ small square) with a ruler and no extrapolation beyond $\frac{1}{2}$ small square at either end if smoothed line, line must, touch / come within $\frac{1}{2}$ small square of, <u>all</u> points and no sag of more than one small square and no extrapolation beyond $\frac{1}{2}$ small square at either end R feathered / thick lines (wider than $\frac{1}{2}$ a small square)
1(c)(ii)	(vitamin C) concentration / vitamin C / it , increases (as drying time increases) and then, levels off / plateaus / AW ; (vitamin C) concentration / vitamin C / it , increases because , water is being lost / water content reduces OR (vitamin C) concentration / vitamin C / it , levels off as , no more water can be lost / has lost the maximum amount of water it can / all water is lost / (fruit) is (completely) dry / AW ;	2	A vitamin C becomes less dilute as water is lost
1(c)(iii)	intercept indicated on the graph at 10 hours ; answer consistent with the intercept at 10 hours $\pm$ half a small square on the candidate's graph ;	2	

Question	Answer	Marks	Guidance
2(a)(i)	outline – single clear unbroken outline ; size – equal to or greater than original size ; detail 1 - the distance between the top bean and the middle bean is less than the distance between the middle bean and the bottom bean ; detail 2 - top bean, touches / overlaps, the outer edge of the pod ;	4	A two minor errors R any , shading / stippling / hatching R if line(s) drawn with a ruler R if drawing touches or extends into text A if the top and middle beans are touching
2(a)(ii)	PQ = 33 ± 1 (mm) ; ($\times$)1.7 ;;	3	MP1 correct measurement of line PQ A measurement in cm if units changed on the answer line MP2 correct calculation of the magnification with their measurement for PQ $\div 19$ (mm) R if mm given on the answer line MP3 correct rounding to two significant figures ecf from previous step PQ of 32 mm gives $\times 1.7$ PQ of 34 mm gives $\times 1.8$
2(b)(i)	temperature ;	1	
2(b)(ii)	volume of water / number of beans / frequency of watering ;	1	
2(b)(iii)	to, avoid bias / identify anomalies / identify outliers OR in case some do not germinate / to check viability of the seeds / AW ;	1	A reduce the effect of anomalous results A remove / AW, anomalous results A to get a representative sample R to prevent anomalous results
2(b)(iv)	measuring cylinder / AVP ;	1	

Question	Answer	Marks	Guidance
2(c)	<i>any six from:</i> 1 (<i>independent variable</i>) at least two different ages of bean ; <i>method</i> 2 break up beans / extract catalase / blend with water ; 3 add (beans) to, (hydrogen) peroxide / H_2O_2 ; 4 description of apparatus to collect, gas / oxygen ; 5, 6 and 7 (<i>variables kept constant</i>) ;;; • type / species, of bean • collect gas for set, time / volume • temperature • pH • mass / size, of beans used • volume of H_2O_2 • concentration of H_2O_2 8 at least three trials / two more repeats ; 9 relevant safety precaution (when using, enzymes / hydrogen peroxide) ;	6	e.g. description / annotated diagram , of collection of gas over water or by water displacement (by using inverted measuring cylinder or syringe) or (gas) syringe . A collect until no more gas released 9 gloves / goggles